

SYNTHETIC PSF

Code: 3650

Date: 27-01-2015

DESCRIPTION

SYNTHETIC PSF is a full synthetic fluid suitable for a wide range of power steering systems including Japanese, American and European vehicles. It provides optimum protection in power steering systems of both foreign and domestic automobiles. It controls seal swelling and protects pump parts against wear while providing the proper friction coefficient for proper system operation.

SUMMARY OF BENEFITS

- · Suitable for most power steering systems
- Shown to reduce steering vibration
- Extends system durability
- Excellent steering response

SPECIFICATIONS

- GM 9985010
- GM 9985835
- CHRYSLER MS-1872
- CHRYSLER MS-5931
- FORD M2C195A
- HONDA PN 08206-9002 PE
- MERCEDES BENZ PN 00 989 8803
- SAAB PN 30 09 800
- SUBARU PN K0Z09A0080

TECHNICAL DATA

CHARACTERISTICS	SYN PSF
Specific gravity at 15 C	0.8450
Kinematic viscosity at 40 C, mm2/s (cSt)	32.0
Kinematic viscosity at 100 C, mm2/s (cSt)	7.0
Viscosity index	189

- Safety Data Sheet for this product can be obtained by visiting TriTech Lubricants Website www.tritechlubricants.com
- All Packages should be stored under cover to avoid water contamination and fading. Products should not be stored over 60°C



151 Colemans Road, Dandenong South VIC 3175 Web: www.tritechlubricants.com

Phone: 1300 46 33 33



